



GAODETEC

郑州高德机械设备有限公司

Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号

邮编 P.C.:450053

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan

China网站 (Web) :www.gaodetec.com

E-Mail: info@gaodetec.com

电话 TEL.:+86-371-55951660

Round Plate Filter Press

Introduce:

The round plate filter press is mainly suitable for industries with finer particles and higher moisture content of cakes, such as ceramics (bone porcelain, electric porcelain, ornamental porcelain), kaolin, and so on. The filter area of this machine is 20-80 m².



Features:

- The filter plate adopts a point-shaped conical boss design, which has fast filtration speed, high filter cake dehydration rate, even and thorough washing, and good sealing performance.
- The chemical performance of the filter plate is stable: strong corrosion resistance, resistance to acid, alkali, salt, non-toxic and tasteless.
- The round filter plate has excellent geometric properties, making the filter pressure up to 2 MPa.
- Using hydraulic compression, the maximum compression pressure is 25MPa, and can achieve automatic pressure retention.

Email: info@gaodetec.com



GAODETEC

郑州高德机械设备有限公司

Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China

网站 (Web) :www.gaodetec.com

E-Mail: info@gaodetec.com

电话 TEL.:+86-371-55951660

Application:

The program controlled automatic chamber filter press is used in chemical, petroleum, pharmaceutical, light industry, food, mineral processing, water treatment, electroplating, metallurgy, dyes, textile, industries etc.



Email: info@gaodetec.com



GAODETEC

郑州高德机械设备有限公司

Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China

网站 (Web) :www.gaodetec.com

E-Mail: info@gaodetec.com

电话 TEL.:+86-371-55951660

Details:



Email: info@gaodetec.com



GAODETEC

郑州高德机械设备有限公司 Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053

No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China

网站 (Web) :www.gaodetec.com

E-Mail: info@gaodetec.com

电话 TEL.:+86-371-55951660

Workshop:



Email: info@gaodetec.com



郑州高德机械设备有限公司

Gaode Equipment Co., Ltd.

地址 ADD: 郑州市金水区丰庆路 4 号院 14 号楼 9 号 邮编 P.C.:450053
 No.9, Building 14, Yard No.4, Fengqing Road, Jinshui District, Zhengzhou, Henan China 网站
 (Web) :www.gaodetec.com E-Mail: info@gaodetec.com
 电话 TEL.:+86-371-55951660

Technical parameters:

规格型号 Model	过滤面积(m²) Filter area	滤板内径(mm) Plate size	滤饼厚度(mm) Cake thickness	滤室容积(L) Filter chamber volume	滤板数量(pcs) Plate NO.	过滤压力(Mpa) Filtration pressure	整机质量(Kg) Weight	外形尺寸长×宽×高(mm) Dimensions L×W×H(mm)	地基尺寸(mm) Foundation Size(mm)		
									L	B	D
X _M ^A 20/Φ800-25	20	Φ800	25	255	20	1.0-1.2	3346	3300×1100×1060	2300	530	1050
X _M ^A 30/Φ800-25	30			377	30		3590	3780×1100×1060	2980		
X _M ^A 40/Φ800-25	40			499	40		4554	4300×1100×1060	3500		
X _M ^A 50/Φ800-25	50			621	50		5150	4820×1100×1060	4020		
X _M ^A 60/Φ800-25	60			753	60		9710	5340×1100×1060	4540		
X _M ^A 70/Φ800-25	70			875	70		5760	5860×1100×1060	5580		
X _M ^A 80/Φ800-25	80			1000	80		6860	6200×1100×1060	5660		

The filter press can be customized

Email: info@gaodetec.com