



GD-N5 Mortar spray machine

GD-N5 mortar spray machine is a new kind of transfer pump. By combining perfect and advanced design with excellent technique, this type of mortar machine set has advantage of reliable performance. Strong adaptability and durability will provide outstanding work performance and greatly improve productivity. Being easy to carry and maintain.

Application:

Suitable for materials less than 3mm, such as mortar that can be pumped, putty, paint, coating material and similar materials.

Specification:

Model	GD-N5
Power	3 phase,380V,50HZ
Pump motor	4kw,400rpm/min
Star wheel motor	0.75kw,28rpm/min
Conveying pressure	30bar
Conveying distance	0-50m
Conveying capacity	6-85L/min
Compressor capacity	1.5kw,0.25Nm ³ /min
Max. aggregate	3mm
Hopper capacity	85L
Net weight	380kg
Total weight	460kg




Overview



- | | |
|---------------------|-------------------------------|
| 1. Electric Box | 8. Pumping Core |
| 2. Protection Grill | 9. Pressure Control Organ |
| 3. Snap | 10. Water Flow Control Switch |
| 4. Pump Motor | 11. Air pump |
| 5. Retard gear Box | 12. Material Hopper |
| 6. Mixing Tube | 13. Star wheel motor |
| 7. Water Inlet | |

Air-water synchronizing control box



- | | |
|----------------------------------|---|
| 1. Safety valve | 9. Pressure switch of Air Pump |
| 2. Air pressure Gauge | 10. Water pump |
| 3. Electromagnetism switch valve | 11. Water connection from running water or tank |
| 4. Stop and return valve | 12. Air pipe |
| 5. Air-electromagnetism valve | 13. Water outlet |
| 6. Pressure reducing valve | |
| 7. Water control switch | |
| 8. Water pressure | |



Screw pump



Mixed gas gun



High pressure gun